References

- Afroz, F., Jahan, A.A.M., Sayeed Hassan, A. K. M. and Khatun,R. (2010). *In vitro* Plant Regeneration from Axillary Buds of *Asparagus racemosus* Wild, a Medicinal Plant, Bangladesh, *J. Sci. Ind. Res.* 45(3):255-260.
- AOAC, (2005). Official Methods of Analysis. Method 990.03. Protein (crude) in Animal Feed Combustion Method (Dumas method). *17th edi.* Reference: JAOAC 72, 770.
- Ashajyothi,V., Pippalla, R. S. and Satyavati, D. (2009). *ASPARAGUS RACEMOSUS* – A PHYTOESTROGEN, Review Article, *Int.Journal Pharmacy.Techno.*, 1(1):36-47.
- Ashwin,K.B. and Deshmukh, V. D. (2011). Regeneration of *Asparagus racemosus* L. through tissue culture, *J. Life. Sci.*, 1(8):61-64.
- Battu, G.R. and Kumar, B.M. (2010). Phytochemical and Antimicrobial Activity of Leaf Extract of *Asparagus racemosus* Willd. *J. phcog*, 12(2):456-463.
- Bhatt, L.R. Lim,J.A. and Baek,S.H.(2005). Antimicrobial Activity of Nepalese Medicinal Plants on Skin Microbial Inflammation Pathogens, *J.Cosme. Pub. Heal.*1 (1): 6-9.
- Bhise, S. B. and Salunkhe, V. R. (2009). Formulation of health drinks using natural sweetener, its HPTLC method development and validation, *J. Pharmacog. Phytothera.*, 1(1) :014-020.
- Bhosale,B., Pragya,J. and Kapse,A. (2011). HPLC methods of medicinally important plants: A Review, *Imperial J. Pharmacognosy & Natural Products*, 1(1):19-35.
- Bopana, N. and Saxena, S. (2007). *Asparagus racemosus*-Ethnopharmacological evaluation and conservation needs. *J. Ethnopharmacol*., 110: 1-15.
- Carasky, R.J. and Iwuafor, E.N.O. (1999). Contribution of soil fertility research and maintenance to improve maize production and productivity in Sub-Saharan African. Proceedings of Regional Maize Workshop. Strategy for Sustainable Maize Production in West and Central Africa, April 21-25, *Inter. Insti. Tropi. Agri.* (IITA) - Cotonou, Benin Republic, 3-20.
- Ch, N. P., Singn, S. P., Kumar H. P., Devi V.M. (2008). A Systematic Study on Flowability and Compressibility of *Asparagus racemosus* root Powder for Tablet Preparation *Inter.l J. Pharma. Sci. Nanotech*, 2(1):129-135.
- Chand S., Sahrawat A. K. and Prakash D. V. S. S. R. (1997). *In vitro* culture of Pimpinella anisum L. *J. Pl. Biochem. Biotech.* 6:1-5.

- Chaturvedi, R.K. and Sankar, K. (2006). Laboratory manual for the physico-chemical analysis of soil, water and plant. Wildlife Institute of India, Dehradun, 97.
- Chawla, A., Chawla, P. and Roy, R.C.M. (2011). *Asparagus racemosus* (Willd): Biological Activities & its Active Principles. *J.Pharmace. Sci.,* 2(1):113-120.
- Cupp, M. (1999). Herbal remedies: Adverse effects and drug interaction, AmFam Physician, 59:1239-1244.
- Evans, W.C. (2005). Trease and Evans: Pharmacognosy. *International ed.,* WB Saunders, 456.
- Evans, W.C. and Trease, G.E. (2002). Trease and Evans pharmacognosy by W.B. Saunders, China, 193-407.
- Gomase,V.S. and Sherkhane, A. S. (2010). Isolation, structure elucidation and biotransformation studies on secondary metabolites from *Asparagus racemosus*. *Inter. J. Microbio*. 2:7-9.
- Goyal, R.K., Singh, J. and Lal, H. (2003). *Asparagus racemosus*-An Update. *Indi. J. Med. Sci.,* 57(9): 407-414.
- Gupta, M. and Shaw, B. (2011). A Double-Blind Randomized Clinical Trial for Evaluation of Galactogogue Activity of *Asparagus racemosus* Willd., *Iran.J.Pharmaceu.Res.,*10 (1): 167-172.
- Harborne J.B. (1998). Phytochemical Methods. *3rd Edn.,* Chapman and Hall, London, ISBN: 0-412-57260-5,1-302.
- Hayes, P.Y., Jahadin, A.H., Lehmann, R., Penman, K., Litchinga, W. and De Vossa, J.J. (2006). Structural revision of shatavarins I and IV, the major components from the roots of *Asparagus racemosus*. Tetrahedron Lett., 47: 6965-6969.
- Hildebert,W and Sabine,B. (1996), Plant drug analysis, A Thin Layer Chromatography Atlas, Springer.2:1-192.
- Jain, A., Kumar, K. and Kumar, M. (2012). Study of phytohormones effect on micropropagation and shoot induction in *Asparagus racemosus*. *Int. J. Cur. Res. Rev.* 4(22): 47-53.
- Jain, P.K. and Agrawal, R.K. (2009). Determination of shatavarin-IV in *Asparagus racemosus* by high performance Thin layer chromatography, *J. res. edu. Ind. Medi.,* 1(15):15-18.
- Kamat, J.P., Boloor, K.K., Devasagayam T.P. and Venkatachalam, S.R. (2000). Antioxidant properties of *Asparagus racemosu*s against damage induced by gamma radiation in rat liver mitochondria. *J. Ethnopharmacol.,* 71: 425-435.
- Khandelwal K.R., Kokate C.K., Gokhale S.B. (1996). Practical pharmacognosy techniques and experiments, Nirali Prakashan, Pune: 45-95.

- Kim, G. S., Kim, H. T., Seong, J. D., Oh, S. R., Lee, C. O., Bang, J. K., Seong, N. S. and Song, K. S.(2005). *J. Nat. Prod.*, 68:766-768.
- Kokate, C. K. (2005). Practical Pharmacognosy, 4th edition; Published by Vallabh prakashan, Delhi, 7-9, 22-23
- Kokate, C.K. (2008). Practical Pharmacognosy, Vallabh Prakashan, Delhi, 110-111.
- Kokate, C.K., Purohit, A.P. and Gokhale, S.B. (2009). Pharmacognosy.Nirali Prakashan, 616-617.
- Kumar, R. M. Rahiman, F.O.M. Mani,T.T. Niyas, M. K. kumar, S. B. Phaneendra, P. and Surendra, B. (2011). Evaluation of Hepatoprotective activity of *Asparagus racemosus* root against paracetamol – Induced acute liver injury In Rats, *Pharmacologyonline*, 1:1059-1066.
- Kundu, M., Mazumder, R., Kushwaha, M. D. and Chakraborthy, G. S. (2011). Standardization profiles of roots of *Asparagus racemosus* willd. pharmacologyonline 3: 587-592.
- Lal, S., Mistry, N.K., Vaidya, P. B., Shah, S. D. and Thaker R. A. (2011). Genetic Diversity among five economically important species of Asparagus collected from central gujarat (India) utilizing RAPD markers (Random amplification of polymorphic DNA). *Inter. J. Adva. Biotech. Res.*, 2(4):414-421.
- Madhavan,V., Tijare,R.D., Mythreyi, R., Gurudeva, M.R. and Yoganarasimhan,S.N. (2010). Pharmacognostical studies on the root tubars of *Asparagus gonoclados* Baker- Alternate source for the Ayurvedic drug satavari. *Indian. J. nature. Resour*. 1(1): 57-62.
- Mali, R. R., Kumar, A., Singh, A.K. and Talwar, A. (2010). Formulation of herbal shampoos from *Asparagus racemosus, Acacia Concin, Sapindus Mukorossi*. 1(4):39-44.
- Maluventhan, V. and Sangu, M. (2010). Phytochemical analysis and antibacterial activity of medicinal plant *CARDIOSPERMUM HALICACABUM* LINN. *J Phytol*, 2(1); 68-77.
- Mandal, S.C., Pulok, K., Mukherjee, N. A, Pal, M. and Saha, B.P. (1996). Physico-chemical characteristics of tincture from *Asparagus racemosus* Willd. *Ancient Science of Life*, 16(2): 160-165.
- Mitra, S.K., Prakas, N.S. and Sundaram, R. (2012). Shatavarins (containing Shatavarin IV) with anticancer activity from the roots of *Asparagus racemosus. Ind. J. Pharmaco.* 44(6):732-736.
- Mukherjee P.K. (2002). "Quality control of Herbal drugs-An approaches to evaluation of botanicals", edition 1st, published by Business Horizons, New Delhi, PP 390-403.

- Nagamani, J, S., J, A. and Reddy, V. (2012). Comparative phytochemical screening of Vatashunga, Shatavari and Shatapushpa claimed for Prajasthapana activity, *Annals Biol. Res,* 3(3):1294-1304.
- Negi, J.S., Singh, P., Joshi,G.P., Rawat, M.S. and Bisht, V.K.(2010). Chemical constituents of Asparagus. *Phcog Rev,* 4:215-220.
- Oketch-Rabah, H.A. (1998). Phytochemical constituents of the genus asparagus and their biological activities. *Hamdard.* 41: 33-43.
- Panda,S.K., Das,D. and Tripathy,N.K. (2011). BOTANICAL STUDIES OF PLANTS SOLD IN MARKET AS 'SAFED MUSLI', *Inter.J.Pharma.Res.Dev.*, 1(3):1-18.
- Pant,K.K. and Joshi, S. D.(2009). *In vitro* Multiplication of Wild Nepalese *Asparagus racemosus* Through Shoots and Shoot Induced Callus Cultures, *Bot. Res. Inter.* 2 (2): 88-93.
- Parmar,S., Shah,N., Kasarwala,M.,Virpura., Shah,K. and Patel,P. (2011). Determination of quercetin by HPTLC method present in zymodyne syrup- A poly herbal formulatio, *Inter. J. Pharmace. Sci. Res.,* 2(10): 2724-2728.
- Pascaline, J., Charles,M., Lukhoba,C. and George, O.(2011). Phytochemical constituents of some medicinal plants used by the Nandis of South Nandi district, Kenya. *J.Animal & Plant Sci.,* 9(3):1201- 1210.
- Patricia, Y.H., Jahidin, A.H., Lehmann, R., Penman, K., Kitchinga, W. and De Vossa, J.J. (2006). Asparinins, asparosides, curillins, curillosides and shavatarins: structural claricatión with the isolation of shatavarin V, a new steroidal saponin from the root of *Asparagus racemosus*. Tetrahedron Letters, 47: 8683-8687.
- Perez, C., Pauli, M. and Bazerque, P. (1990). An antibiotic assay by agar well diffusion method. *Acta Biol. Med. Exp.,* 15: 113-115.
- Pise, M., Rudra, J., Bundale, S., Begde,D., Nashikkar, N. and Upadhyay,A. (2011). Shatavarin production from in vitro cultures of *Asparagus racemosus* Wild., *J. Med. Plan. Res.*, 5(4), 507-513.
- Potduang B, Meeploy M, Giwanon R, Benmart Y, Kaewduang M, Supatanakul W. (2008). Biological activities of *Asparagus racemosus*. *Afr J Tradit Complement Altern Med*, 5:230-237.
- Prajapati, M.R. and Vyas, P.J. (2011). Effect of mixing antibiotics with *Asparagus racemosus* and their anti-bacterial activity. *Life sciences Leaflets* 13:443 – 448.

- Rojas, J.J., Ochoa, V.J., Ocampo, S.A. and Muñoz, J.F. (2006). Screening for antimicrobial activity of ten medicinal plants used in Colombian folkloric medicine: A possible alternative in the treatment of non-nosocomial infections. BMC Compelmentary and Alternative Medicine, 6:2.
- Sen,S., Chakraborty, R. De, B. and Mazumder, J. (2009). Plants and Phytochemical for peptic ulcer: An overview, 6(3):270-279.
- Shah, B.N. and Seth. A. (2010).Text book of pharmacognosy and photochemistry. *1st Edi*. *India private limited*, Elsevier.444
- Shao, Y.U., Poobsasert, O, Kennelly, E.J., Chin, C.K., Ho, C.T., Huang, M. T., Garrison, S. A. and Cordell, G.A. (1997). Steroidal saponins from *Asparagus officinalis* and their cytotoxic activity. *Planta Medica*, 63:258-262.
- Sharan, M. anisha, Nene,C. and Sharon, M. (2011). Regeneration of *Asparagus racemosus* by shoot apex and nodal explants, *Asian. J. Plan. Sci. Res.,* 1(2): 49-56.
- Sharma, A. and Patel, V. (2009). *In Vitro* Screening of the Antibacterial Activity and Identification of Bioactive Compounds From Plants against Selected Vibrio spp. *Pathogens,Turk J Biol*,33:137-144.
- Sharma, K. and Bhatnagar,M. (2011). *Asparagus racemosus* (Shatavari): A Versatile Female Tonic, *Inter. J.Pharmaceu.Bio.Archi.,* 2(3):855-863.
- Sharma, P.C., Yelne, M.B. and Dennis, T.J. (2000). Database on medicinal plants used in Ayurveda. Delhi: Documentation & publication Division, Central Council for Research in Ayurveda & Siddha, 1: 418-430.
- Sirohi, S.K. Pandey,N., Goel,N., Singh,B., Mohini,M., Pandey, P. and Chaudhry, P.P. (2009). Microbial Activity and Ruminal Methanogenesis as Affected by Plant Secondary Metabolites in Different Plant Extracts, *Inter. J.Envir. Sci. Engine.,* 1(1): 52-58.
- Sofowara, A. (1993). Medicinal plants and antimicrobial activity. *J. Ethanopharmacology,* 100:80-84.
- Stajner, N. (2013). Micropropagation of *Asparagus* by *In Vitro* Shoot Cultures. Methods Mol Biol., 11013:341-351.
- Tambekar, D.H., Khante, B.S., Dahikar, S.B. and Banginwar, Y.S. (2007). Antibacterial Properties of Contents of Triphala: A Traditional Indian Herbal Preparation. *Continental J. Microbiology,* 1(3):8-12.

- Tuszyńska, M. (2010). Pharmacological and therapeutic application of *Asparagus racemosus* Willd. herba polonica, 56(2):92-103.
- Velavan,S., Nagulendran, K.R.,Mahesh, R. and Begum, V. H. (2007). The Chemistry, Pharmacological and Therapeutic Applications of *Asparagus racemosus*-A Review, 2(1):350-360.
- Venkatesan, N.V. Thiyagarajan, S. Narayanan, A. Arun, S. R. and Vijayakumar, S. (2005). Anti-Diarrhoeal potential of *Asparagus racemosus* wild. Root extract in laboratory animals. *J. Pharma. Pharmaceut.Sci.*, 8:39-45.
- Verma, R.K. and Parashar, P. (2011). Primary and secondary phytochemical analysis of some medicinally potent plants, *Inter. Res. J. Pharm*, 2(6):166-168.
- Vijay, N. and Kumar, A. (2009). High frequency multiple shoot regeneration from tissue cultures of *ASPARAGUS RACEMOSUS. Gen. Mole. Bio*., 185.
- Vijay, N., Kumar, A. and Bhoite, A. (2009A). Influences of Nitrogen Phosphorus and Potassium Fertilizer on Biochemical Contents of *Asparagus racemosus* (Willd.) Roots Tubers. *Res. J. Enviro. Sci.* 3(3): 285-291.
- Vijay, N., Sairkar, P., Silawat, N., Garg R. K. and Mehrotra, N. N. (2009B). Genetic variability in *Asparagus racemosus* (Willd.) from Madhya Pradesh, India by random amplified polymorphic DNA, *Afr. J. Biotech*., 8 (14): 3135-3140.
- Visavadiya, N. and Narasimhacharya, R. L. (2005). Hypolipidemic and antioxidant activities of *Asparagus racemosus* in hypercholesteremic rats. *Ind.J.Pharmacol*., 37:376-380.
- Warner P. K., Nambiar V. P. K. (2001). Ganapathy P. M. Some important medicinal plants of the western ghats, India: a profile. International Development Research Centre, Artstock, New Delhi, India, 15.
- World health organization (WHO). (1998). Quality control methods for medicinal plant materials. Delhi: Geneva. A.I.T.B.S publisher and distributors, 28-47.